

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Material name C6 Epoxy Adhesive
Version # 01
Revision date 06-09-2010
CAS # Mixture
Product Code C6
Product use Concrete anchoring adhesive.
Manufacturer/Supplier ITW Red Head
2171 Executive Drive, Suite 100
Addison, IL 60101 US
Telephone Number: (630) 350-0370
Contact Person: Andrew Rourke
Emergency CHEMTREC: (800) 424-9300

2. Hazards Identification

Physical state Liquid.
Appearance Paste.
Emergency overview DANGER!

Causes skin and eye burns. Causes severe respiratory tract irritation. Harmful if absorbed through skin or swallowed. May cause sensitization by skin contact. Prolonged exposure may cause chronic effects.

OSHA regulatory status This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).

Potential health effects

Routes of exposure Inhalation. Ingestion. Skin contact. Eye contact.

Eyes Causes eye burns. Risk of corneal damage. Contact may cause irritation, redness, tearing, blurred vision and/or burns.

Skin Causes skin burns. Harmful if absorbed through the skin. May cause sensitization by skin contact. Contact may cause irritation, redness and/or drying.

Inhalation Causes severe respiratory tract irritation. Vapors irritate the respiratory system, and may cause coughing and difficulties in breathing.

Ingestion Harmful if swallowed. Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract.

Target organs Eyes. Skin. Respiratory system. Lungs.

Chronic effects Overexposure can cause lung damage - pulmonary toxin.

Potential environmental effects The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

3. Composition / Information on Ingredients

Components	CAS #	Percent
Bisphenol A Diglycidyl Ether Resin (Part A)	25068-38-6	60 - 80
Mercaptan/Amine Polymer Blend (Part B)	Trade Secret	20 - 40
2,4,6-Tris(dimethylaminomethyl) Phenol (Part B)	90-72-2	Trade Secret
Isopropanol (Part B)	67-63-0	Trade Secret

4. First Aid Measures

First aid procedures

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

Skin contact Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash clothing separately before reuse. Destroy or thoroughly clean contaminated shoes.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Get medical attention.

Ingestion Rinse mouth thoroughly. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content does not get into the lungs. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention immediately.

Notes to physician Keep victim under observation. In case of shortness of breath, give oxygen. Symptoms may be delayed.

General advice Take off contaminated clothing and shoes immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use.

5. Fire Fighting Measures

Flammable properties Not flammable by OSHA criteria. Material may burn but not ignite readily.

Extinguishing media

Suitable extinguishing media Water. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Protection of firefighters

Protective equipment and precautions for firefighters Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Move containers from fire area if you can do so without risk. Cool containers exposed to flames with water until well after the fire is out. Water runoff can cause environmental damage.

Special protective equipment for fire-fighters Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Specific methods In the event of fire and/or explosion do not breathe fumes.

Hazardous combustion products Carbon monoxide. Carbon Dioxide. Nitrogen oxides (NO_x). Hydrogen chloride. Sulfur oxides.

6. Accidental Release Measures

Personal precautions Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Keep upwind. Keep out of low areas. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See Section 8 of the MSDS for Personal Protective Equipment.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not contaminate water.

Methods for containment Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Collect spillage. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up Small Spills: Absorb spill with vermiculite or other inert material. Clean surface thoroughly to remove residual contamination. This material and its container must be disposed of as hazardous waste. Should not be released into the environment.

Large Spills: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent product from entering drains. Do not allow material to contaminate ground water system.

Other information Clean up in accordance with all applicable regulations.

7. Handling and Storage

Handling Wear personal protective equipment. Avoid breathing vapor. Do not get in eyes, on skin, on clothing. Avoid prolonged exposure. Do not taste or swallow. Use only with adequate ventilation. Wash thoroughly after handling. When using, do not eat, drink or smoke. Avoid release to the environment.

Storage Keep container tightly closed. For maximum shelf life, store between 4.4°C (40°F) to 26.7°C (80°F). Do not store above 43.3°C (110°F). Keep away from food, drink and animal feedingstuffs. Keep out of the reach of children.

8. Exposure Controls / Personal Protection

Occupational exposure limits

ACGIH

Components

Components	Type	Value
Isopropanol (Part B) (67-63-0)	STEL	400 ppm
	TWA	200 ppm

U.S. - OSHA**Components**

	Type	Value
Isopropanol (Part B) (67-63-0)	PEL	400 ppm 980 mg/m3

Canada - Alberta**Components**

	Type	Value
Isopropanol (Part B) (67-63-0)	STEL	984 mg/m3
		400 ppm
	TWA	492 mg/m3 200 ppm

Canada - British Columbia**Components**

	Type	Value
Isopropanol (Part B) (67-63-0)	STEL	400 ppm
	TWA	200 ppm

Canada - Ontario**Components**

	Type	Value
Isopropanol (Part B) (67-63-0)	STEL	400 ppm
	TWA	200 ppm

Canada - Quebec**Components**

	Type	Value
Isopropanol (Part B) (67-63-0)	STEL	1230 mg/m3
		500 ppm
	TWA	983 mg/m3 400 ppm

Mexico**Components**

	Type	Value
Isopropanol (Part B) (67-63-0)	STEL	1225 mg/m3
		500 ppm
	TWA	980 mg/m3 400 ppm

Engineering controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Personal protective equipment**Eye / face protection**

Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Wear chemical-resistant gloves, footwear and protective clothing appropriate for risk of exposure. Contact glove manufacturer for specific information.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

General hygiene considerations

Avoid contact with eyes. Avoid contact with skin. Provide eyewash station and safety shower. When using, do not eat, drink or smoke. Handle in accordance with good industrial hygiene and safety practice.

9. Physical & Chemical Properties**Appearance**

Paste.

Color

Gray/white.

Odor

Characteristic.

Odor threshold

Not available.

Physical state

Liquid.

Form

Liquid. Paste.

pH

Not available.

Melting point

Not available.

Freezing point

Not available.

Boiling point

> 500 °F (> 260 °C) Part A

Flash point

> 200 °F (> 93.3 °C)

Evaporation rate

Not available.

Flammability

Not available.

Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity	Not available.
Solubility (water)	None.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Density	1.3 g/cm ³ Part A 1.7 g/cm ³ Part B

10. Chemical Stability & Reactivity Information

Chemical stability	Stable at normal conditions.
Conditions to avoid	Elevated temperatures.
Incompatible materials	Strong oxidizing agents. Strong acids.
Hazardous decomposition products	Carbon oxides. Nitrogen oxides (NO _x). Sulfur oxides. Hydrogen chloride.
Possibility of hazardous reactions	Will not occur by itself. More than 1 pound of the Part B material added to epoxy resins will cause irreversible polymerization with considerable heat build-up.

11. Toxicological Information

Toxicological data

Components

	Test Results
Isopropanol (Part B) (67-63-0)	Acute Dermal LD50 Rabbit: 5030 - 7900 mg/kg Acute Oral LD50 Rat: 4700 - 5800 mg/kg
Mercaptan/Amine Polymer Blend (Part B) (Trade Secret)	Acute Dermal LD50 Rabbit: > 10000 mg/kg Acute Oral LD50 Rat: > 3000 mg/kg

Local effects	Causes skin and eye burns. Causes severe respiratory tract irritation. Harmful in contact with skin and if swallowed. May cause sensitization by skin contact.
Sensitization	May cause an allergic skin reaction.
Chronic effects	Overexposure can cause lung damage.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
ACGIH Carcinogens	
Isopropanol (Part B) (CAS 67-63-0)	A4 Not classifiable as a human carcinogen.
Epidemiology	This product is not reported to cause epidemiological effects in humans.
Mutagenicity	This product is not expected to cause mutagenic or genotoxic effects.
Neurological effects	Not available.
Reproductive effects	Isopropyl alcohol has demonstrated animal effects of reproductive toxicity.
Teratogenicity	Isopropyl alcohol has demonstrated animal effects of teratogenicity.
Further information	Symptoms may be delayed.

12. Ecological Information

Ecotoxicological data

Components

	Test Results
Isopropanol (Part B) (67-63-0)	LC50 Bluegill (<i>Lepomis macrochirus</i>): > 1400 mg/l 96 hours

Ecotoxicity	Contains a substance which causes risk of hazardous effects to the environment.
Environmental effects	The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Persistence and degradability	Not available.

Bioaccumulation / Accumulation	No data available.
Partition coefficient (n-octanol/water)	Not available.
Mobility in environmental media	No data available.

13. Disposal Considerations

Disposal instructions Dispose of contents/container in accordance with local/regional/national/international regulations. Incinerate the material under controlled conditions in an approved incinerator. Do not incinerate sealed containers. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Product Specific Note: This product meets the limited quantities exception requirements for the below listed transportation agencies. Under DOT and TDG regulations, this product may be reclassified as a Consumer Commodity (ORM-D). Please see the specific regulations for the shipping and packaging requirements.

DOT

Basic shipping requirements:

Proper shipping name	Consumer commodity
Hazard class	ORM-D
Subsidiary hazard class	None
Labels required	None

Additional information:

Packaging exceptions	156, 306
Packaging non bulk	156, 306
Packaging bulk	None

IATA

Basic shipping requirements:

UN number	2735
Proper shipping name	Amines, liquid, corrosive, n.o.s. (2,4,6-Tris(dimethylaminomethyl) Phenol (Part B))
Hazard class	8
Packing group	III

IMDG

Basic shipping requirements:

UN number	2735
Proper shipping name	AMINES, LIQUID, CORROSIVE, N.O.S. (2,4,6-Tris(dimethylaminomethyl) Phenol (Part B))
Hazard class	8
Packing group	III
EmS No.	F-A, S-B

TDG

Basic shipping requirements:

Proper shipping name	Consumer commodity
Hazard class	ORM-D
Subsidiary hazard class	None
Labels required	None

Additional information:

Packaging exceptions	156, 306
Packaging non bulk	156, 306
Packaging bulk	None



IATA



IMDG

15. Regulatory Information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
All components are on the U.S. EPA TSCA Inventory List.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration

Isopropanol (Part B) (CAS 67-63-0) 1.0 %

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Isopropanol (Part B) (CAS 67-63-0) Listed.

CERCLA (Superfund) reportable quantity (lbs)

Isopropanol (Part B) 100

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance

No

Section 311 hazardous chemical

No

Drug Enforcement Agency (DEA)

Not controlled

Canadian regulations

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

WHMIS status

Controlled

WHMIS classification

D2B - Other Toxic Effects-TOXIC
E - Corrosive

WHMIS labeling



Inventory status

Country(s) or region

Inventory name

On inventory (yes/no)*

Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

